

Typical Distillery Cooling System Schematic #3




Made In the USA

- Chiller used for mash cooling
- Chiller used for fermentation tank cooling
- Chiller used for still cooling

Due to the high cooling demand and high returning water temperature from the still, a larger capacity chiller using a large fluid reservoir is required. The large reservoir prevents overloading the chiller, avoiding nuisance chiller shutdowns and prevents warm water from being distributed to other use points.

Benefits

- No waste water
- Allows for constant cooling throughout process



Application Specialists

- Kip Kelly : KKelly@AdvantageEngineering.com
- Jeff Manifold : JManifold@AdvantageEngineering.com
- Philip Oswalt : PAOswalt@AdvantageEngineering.com

For application assistance call 317-887-0729

Phone: 317-887-0729 Web: www.AdvantageEngineering.com



ADVANTAGE PRODUCTS: TEMPERATURE CONTROLLERS • PORTABLE CHILLERS • CENTRAL CHILLERS • PUMP TANK STATIONS • TOWER SYSTEMS • FILTERS

ADVANTAGE ENGINEERING, INC. 525 East Stop 18 Road Greenwood, IN 46143 phone: 317-887-0729 fax: 317-881-1277
Web site: www.AdvantageEngineering.com Email: sales@AdvantageEngineering.com ©2019 ADVANTAGE ENGINEERING, INC. Form #ADV-998 updated 02/19/2019

SINCE PRODUCT INNOVATION AND IMPROVEMENT IS OUR CONSTANT GOAL, ALL FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE OR LIABILITY.